





附表：台灣開天傳動公司之系爭著作與三鑽公司網頁違法重製之對照表

編碼與圖片代號	【系爭著作】 原證 2 產品行銷介紹手冊（2004 年版）、原證 3 產品行銷介紹手冊（2008 年版）；另被告所違法重製與刊載部分擷取如附件三所示。	【三鑽公司網頁違法重製】 原證 4 臺灣臺中地方法院所屬民間公證人陳毓倫事務所公證書（被告網頁截圖）。
1. A 圖片	位於原證 2 第 104 頁標記 A 處。（即附件三第 2 頁，原審卷一第 43 頁） 	參照原證 4 之附件二（原審卷一第 85 頁）、附件三（原審卷一第 87 頁）與附件十二（原審卷一第 103 頁）標記 A 處。 

		公司簡介 三鑽科技股份有限公司 本公司秉持著「創新、穩定」為指標，不僅提供產品上的服務，更包含各項的技術交流，在其中與使用者相互磨練需求，要求精進，研發出更具人性化的產品項目，以應付市場的變化，品質的要求，在出廠前嚴謹的生產嚴記與測試是必要的，而欲得品質的產品，仍舊維持在穩定的作動下，才能達到最高效率，因此我們自我要求的是穩定的高品質以最小成本為客戶創造最高利潤，一直都是我們帶給客戶的最大回饋。  THREE DIAMOND TEC CO., LTD A  *Backlash-free shaft connections in spindle *Drives, elevating platforms, machine tools *Single cardanic coupling in three parts *Axial plug-in ability- easy blind assembly *Time-consuming screw connections *Small dimensions-low flywheel mass *Maintenance-free *Easy to check visually *Different elastomer hardness of spiders *Available from stock for all usual shaft diameters *Finish bore acc. to ISO fit H7/g6 *Keyway, from Ø 6 acc. to DIN 6855 *Basic program acc. page 9
2. B 圖片	位於參原證 2 第 103 頁、原證 3 第 108 頁標記 B 處。(即附件三第 1、4 頁，原審卷一第 41 頁、第 47 頁)	ROTEX® GS Backlash-free shaft coupling Miniature couplings  * Backlash-free * Single cardanic coupling in three parts * Axial plug-in ability- easy blind assembly * Small dimensions-low flywheel mass * Maintenance-free * Easy to check visually * Different elastomer hardness of spiders * Available from stock for all usual shaft diameters * Finish bore acc. to ISO fit H7/g6 * Keyway, from Ø 6 acc. to DIN 6855 * Basic program acc. page 9 B  *Backlash-free shaft connections for machines with small torques *Single cardanic coupling in three parts *Axial plug-in ability- easy blind assembly *Time-consuming screw connections *Small dimensions-low flywheel mass *Maintenance-free *Easy to check visually *Different elastomer hardness of spiders *Available from stock for all usual shaft diameters *Finish bore acc. to ISO fit H7/apart from keyway, from Ø 6 acc. to DIN 6855

		
3. C 圖片	位於原證 2 第 103 頁、原證 3 第 108 頁標記 C 處。 (即附件三第 1、4 頁，原審卷一第 41 頁、第 47 頁)	參照原證 4 之附件六（原審卷一第 93 頁）、附件八（原審卷一第 97 頁）與附件十四（原審卷一第 109 頁）標記 C 處。




4. D 圖片

位於原證 2 第 103 頁、原證 3 第 108 頁標記 D 處。
(即附件三第 1、4 頁，原審卷一第 41 頁、第 47 頁)

ish bore acc. to ISO fit H7 (apart from clamping hub),
yway, from Ø 6 mm acc. to DIN 6885 sheet 1 - JS9
Approved according to EC Standard 94/9/EC
(only for hub design 1.0 and 2.1)
sic programme see page 102

Hub designs (see page 101):

Design 1.0



with keyway
and setscrew

Setscrew to DIN 916 VZR (with toothed cup point)

Design 1.1




without keyway
with setscrew

Design 1.2




without keyway
without setscrew



Design 2.0 Clamping hub without keyway, (only category 3),
torques depending on bore diameter

Design 2.1 Clamping hub with keyway




Clamping hub with capscrew
DIN 912 (ROTEX® 5 DIN 84)

參照原證 4 之附件六 (原審卷一第 93 頁)、附件八 (原
審卷一第 97 頁) 與附件十四 (原審卷一第 109 頁) 標記
D 處。

Basic programme see page 9


Hub designs (see page 102):

Design 1.0



with keyway
and setscrew
Setscrew to DIN 916

Design 1.1




without keyway
with setscrew

Design 1.2




without keyway
without setscrew



Design 2.0 Clamping hub without keyway, (only category 3),
torques depending on bore diameter


Design 2.1 Clamping hub with keyway



Clamping hub with capscrew
DIN EN ISO 4762
(ROTEX® 5 DIN 84)

Hub designs (see page 102):

Design 1.0



with keyway
and setscrew
Setscrew to DIN 916

Design 1.1




without keyway
with setscrew

Design 1.2




without keyway
without setscrew



Design 2.0 Clamping hub without keyway, (only category 3),
torques depending on bore diameter

Design 2.1 Clamping hub with keyway




Clamping hub with capscrew
DIN EN ISO 4762
(ROTEX® 5 DIN 84)

Design 2.0 Clamping hub without keyway, (only category 3),
torques depending on bore diameter


Design 2.1 Clamping hub with keyway

5. E 圖片

位於原證 2 第 103 頁、原證 3 第 108 頁標記 E 處。
(即附件三第 1、4 頁，原審卷一第 41 頁、第 47 頁)



參照原證 4 之附件八(原審卷一第 97 頁)、附件十四(原審卷一第 109 頁)標記 E 處。




6. F 圖片

位於原證 2 第 105 頁、原證 3 第 110 頁標記 F 處。
(即附件三第 3、5 頁，原審卷一第 45 頁、第 49 頁)




參照原證 4 之附件九(原審卷一第 99 頁)、附件十一(原審卷一第 103 頁)標記 F 處。







7. G 圖片

位於原證 2 第 105 頁、原證 3 第 110 頁標記 G 處。
(即附件三第 3、5 頁，原審卷一第 45 頁、第 49 頁)



參照原證 4 之附件九(原審卷一第 99 頁)、附件十一(原審卷一第 103 頁)標記 G 處。



8. H 圖片	位於原證 2 第 104 頁標記 H 處。(即附件三第 2 頁，原審卷一第 43 頁) 	參照原證 4 之附件十二(原審卷一第 105 頁)標記 H 處。 
9. I 圖片	位於原證 2 第 104 頁標記 I 處。(即附件三第 2 頁，原審卷一第 43 頁)	參照原證 4 之附件十二(原審卷一第 105 頁)標記 I 處。

